


Touch
Tomorrow!

yuccalife.com

Yucca®

Digital
Life

Digital
Door
Lock

Digital
Eye

Touch
Tomorrow!

Let's live a life.

Eye catching design, durable and genuine material, new generation technology are the promises we fulfilled with our permanent vision into the future.

Since established in 2008, Yucca focused on R&D of smart home/hotel technology, including home automation, smart access control, home security, etc.

Yucca is not only the leading pioneer of smart gadgets in Korea, but also all-in-one smart tech solution provider in green office system, smart home and hotel systems. Through relentless efforts in R&D, and responding dynamically to demands from the biometric security market, YUCCA is rapidly becoming the leader in biometric technology in Korea markets.





No More Worries to
Lock your Door!



Forget your Keys!



A new definition
of Security!



Live Smart!

Yucca®

Page No.:

Leo Max	Leo Pro & Leo	Leo Classic	Lyra	Mars	Nova	Glass Pro	Glass	Video Ring Doorbell	Projects
5	7	9	11	12	13	15	16	17	18



Yucca®

LEO Max

Digital Door Lock



Face & Palm
Recognition
Leo Max

- Door Thickness:: 35~110mm
- Size(W×H×D)::
  Outer Body : 85×367×73(mm)
  Inner Body : 84x364x69(mm)
- Material::
  Outer Body : Al Die Casting, Flame Retardant ABS
  Inner Body : Al Die Casting, Flame Retardant ABS
- Mortise Material:: Steel
- Camera's Distance:: 60cm ±10cm
- Display:: 2.4" Touchscreen LCD
- Capacity::
  100 Users: 100 Faces, 100 Pins, 100 Palms,
  100 Cards, 2 Keys
- Color:: Space Gray, Gold, Matt Black
- Operation Temperature:: -15°C~55°C
- Emergency Power::
  DC 6V /8x AA Battery
- Weight:: 4.2kg
- Optional:: Wireless Remote Control, BLE
  for Mobile Control
- Remote Control::
  FM Range, Max Distance 60M
  Integration with Home Automation
- Anti-Shock:: 30,000 Volt Shock Absorber
- Certification:: KC Registered in Korea

No Effect for Accessories Glasses, Night, etc	Infrared LED Based Face Recognition	Control with Smart Phone
Internal security Lock	External Security Lock	Advanced Palm Recognition
Anti-theft System	Fire Detection Sensor	Double Authorization
Auto Deactivation	Electro Static Discharge(ESD) Prevention	Random Security Code
Multi-level Volume Control / Selective Mute Function	Semiconductor Sensor	Emergency Power Supply
Simple Setting	Anti-panic Exit System	Low Battery Warning



Yucca

LEO Pro

Digital Door Lock







Fingerprint
Leo Pro
Gold
Black

Leo pro 1

Leo 2

- Door Thickness:: 35~100mm
- Size(W×H×D)::
  Outer Body : 84×362×68(mm)
  Inner Body : 80x356x63(mm)
- Material::
  Outer Body : Al Die Casting, ABS
  Inner Body : Al Die Casting, ABS
- Mortise Material:: Steel
- Capacity::
  100 Fingerprint*, 50 Key Tags
  5 Passwords, 2 Keys
- Color:: Gold, Silver, Matt Black
- Operation Temperature:: -20°C~50°C
- Emergency Power::
  DC 6V /4x AA Battery
- Weight:: 4.2kg
- Optional:: Wireless Remote Control, BLE for Mobile Control
- Remote Control::
  FM Range, Max Distance 60M
  Integration with Home Automation
- Fingerprint:: Semiconductor Sensor
- Anti-Shock:: 30,000 Volt Shock Absorber
- Certification:: KC Registered in Korea

Internal security lock	External Security Lock	Control with Smart Phone
Anti-theft System	Fire Detection Sensor 60℃	Fingerprint
Auto Deactivation 30 sec	Electro Static Discharge(ESD) Prevention	Double Authorization
Multi-level Volume Control / Selective Mute Function	Semiconductor Sensor	Random Security Code
simple Setting	Anti-panic Exit System	Emergency Power Supply 9V
		Low Battery Warning
















LEO Classic

Digital Door Lock





Fingerprint
Leo Classic Gold

- Door Thickness:: 35~100mm
- Size(W×H×D)::
  Outer Body : 80×318×63(mm)
  Inner Body : 80x295x68(mm)
- Material::
  Outer Body : Al Die Casting, ABS
  Inner Body : Al Die Casting, ABS
- Mortise Material:: Steel
- Capacity::
  100 Fingerprint*, 50 Key Tags
  5 Passwords, 2 Keys
- Color:: Gold & Black
- Operation Temperature::-20°C ~ 50°C
- Emergency Power::
  DC 6V /4x AA Battery
- Weight:: 3 kg
- Optional::Wireless Remote Control
  BLE for Mobile Control
- Remote Control::
  FM Range, Max Distance 60M
  Integration with Home Automation
- Fingerprint:: Semiconductor Sensor
- Anti-Shock:: 30,000 Volt Shock Absorber
- Certification:: KC Registered in Korea

- Control with Smart Phone
- Internal security lock
- External Security Lock
- Fingerprint
- Anti-theft System
- Fire Detection Sensor (60℃)
- Double Authorization
- Auto Deactivation (30 sec)
- Electro Static Discharge(ESD) Prevention
- Random Security Code
- Multi-level Volume Control / Selective Mute Function
- Semiconductor Sensor
- Emergency Power Supply (9V)
- simple Setting
- Anti-panic Exit System
- Low Battery Warning















Lyra

Digital Door Lock





Mars

Digital Door Lock



- Door Thickness:: 35~100mm
- Size(W×H×D)::
  Outer Body : 78.3×293×63(mm)
  Inner Body : 79.4x294x69(mm)
- Material::
  Outer Body : Aluminum die casting
  Inner Body : Flame retardant ABS
- Mortise Material:: Steel
- Capacity::
  50 Key Tags, 5 Passwords, 2 Keys
- Color:: Gold ,black
- Operation Temperature:: -15°C ~ 50°C
- Emergency Power::
  DC 6V /4x AA Battery
- Weight:: 3 kg
- Optional:: HN integration(447.275Mhz)
  Wireless solution(RF remote control)
- Remote Control::
  FM Range, Max Distance 60M
  Integration with Home Automation
- Anti-Shock:: 30,000 Volt Shock Absorber
- Certification:: KC Registered in Korea

- Internal Security Lock
- External Security Lock
- Anti-theft System
- Fire Detection Sensor (60℃)
- Double Authorization
- Auto Deactivation (30 sec)
- Electro Static Discharge(ESD) Prevention
- Random Security Code
- Multi-level Volume Control / Selective Mute Function
- Semiconductor Sensor
- Emergency Power Supply (9V)
- simple Setting
- Anti-panic Exit System
- Low Battery Warning



Nova Pro

Digital Door Lock







Fingerprint

Nova Pro Silver

Made in Korea

- Door Thickness:: 40~100mm
- Size(W×H×D)::
  Outer Body : 95×355×58(mm)
  Inner Body : 95x355x58(mm)
- Material::
  Outer Body : Al, ABS
  Inner Body : Al, Zn, ABS
- Mortise Material:: Steel
- Capacity::
  100 Fingerprint*, 50 Key Tags
  5 Passwords, 2 Keys
- Color:: Dark Gray, Dark Brown
- Operation Temperature:: -20°C ~ 50°C
- Emergency Power::
  DC 9V Alkaline Battery(not included)
- Weight:: 3.78kg(n.w) / 4.40(g.w)
- Optional::
  Wireless Remote Control, Bluetooth
- Remote Control::
  FM Range, Max Distance 60M
  Integration with Home Automation
- Fingerprint:: Semiconductor Sensor
- Anti-Shock:: 30,000 Volt Shock Absorber
- Certification:: KC Registered in Korea

- Fingerprint
- Anti-theft System
- Fire Detection Sensor (60℃)
- Double Authorization
- Auto Deactivation (30 sec)
- Electro Static Discharge(ESD) Prevention
- Random Security Code
- Multi-level Volume Control / Selective Mute Function
- Semiconductor Sensor
- Emergency Power Supply (9V)
- simple Setting
- Anti-panic Exit System
- Low Battery Warning







Glass Pro

Digital Door Lock













Internal security lock	External Security Lock	Control with Smart Phone
Anti-theft System	Fire Detection Sensor	Fingerprint
Auto Deactivation	Electro Static Discharge(ESD) Prevention	Double Authorization
Multi-level Volume Control / Selective Mute Function	Semiconductor Sensor	Random Security Code
simple Setting	Anti-panic Exit System	Emergency Power Supply
		Low Battery Warning

Glass

Digital Door Lock



- Size(W×H×D)::
  Outer Body : 73.5×171×39(mm)
  Inner Body : 73.5x171x22(mm)
- Material::
  Outer Body : Glossy Chrome
  Inner Body : Flame Retardant ABS
- Capacity Glass Pro::
  100 Fingerprint*, 1 Passwords
- Capacity Glass ::
  50 Key Tags,1 Passwords
- Color:: Glossy Chrome,Black
- Operation Temperature:: -15°C ~ 55°C
- Emergency Power::
  DC 9V Alkaline Battery
- Weight:: 1.3kg(n.w)
- Optional::
  Wireless Remote Control, Bluetooth
- Remote Control::
  FM Range, Max Distance 60M
  Integration with Home Automation
- Fingerprint:: Semiconductor Sensor
- Anti-Shock:: 30,000 Volt Shock Absorber
- Certification:: KC Registered in Korea

Internal security lock	External Security Lock	Control with Smart Phone
Anti-theft System	Fire Detection Sensor	Double Authorization
Auto Deactivation	Electro Static Discharge(ESD) Prevention	Random Security Code
Multi-level Volume Control / Selective Mute Function	Semiconductor Sensor	Emergency Power Supply
simple Setting	Anti-panic Exit System	Low Battery Warning













Video Ring Doorbell



XP-YC
Digital Eye

- Motion detection
- 3.5 inch color LCD display
- Automatic power saving mode
- JPG and MP4 output format
- Lithium battery
- °170 low illumination wide-angle
- Max 32GB Storage
- OV industrial grade imaging solution



ZP-YC
Digital Eye
Wifi

Support remote monitoring
iOS and Android app support
Support two-way intercom
Motion detection
JPG and MP4 output format
Battery capacity 6800mAh
°170 low illumination wide-angle
5.0 inch IPS LCD screen
Internal storage + TF
Lens pixel 720P
Capacitive touch screen



VP-YC
Digital Eye

- 2.8 inch color LCD display
- JPG output format
- 4pcs Battery
- °100 view angle
- Internal storage
- Economical



WP-YC
Digital Eye

- 3 inch color LCD display
- Automatic power saving mode
- JPG and MP4 output format
- 4pcs Battery
- °170 low illumination wide-angle
- Max 32GB Storage
- OV industrial grade imaging solution